Data Sheet

DTU-1031X 10.1-inch Pen Display





Wacom® for Business

DTU-1031X

Cost-effective digital document handling



Product Overview

With its 10.1" LCD screen, the Wacom DTU-1031X

Pen Display is the economical solution for corporate or institutional customers who require a compact device that allows users to view, complete and sign full size documents electronically.

The pen display's flat surface and single USB cable (with two connectors) make it easy to integrate into kiosk or retail POS environments with minimal clutter.

Key Features & Benefits

- Optimal user comfort with the 10.1" color LCS panel that allows easy document viewing and signing
- Secure transactions enabled by state-of-the-art AES 256/ RSA2048 encryption
- Flexible working via the device's slim profile which allows flat surface or angle stand usage – built-in VESA mounting holes also provide mounting options and the use of third-party stands

- Minimal installation clutter with a single
 USB cable (with two connectors) that supplies power and data
- Highly accurate signatures and writing with the patented Wacom cordless and battery-free pen with 512 levels of pressure sensitivity
- Outstanding durability via the scratchresistant hardened cover glass that provides easier viewing in different lighting conditions and a paper-like feel

Response time

General Specifications

	Dimensions (W x H x D, excluding stand)	12.2 x 8.54 x 0.55 inches / 310 x 217 x 14 mm
$\stackrel{\circ}{\Box}$	Weight (including stand)	2.4 lbs / 1.1 kg
X	Stand inclination	18° integrated stand
8	Power supply	USB bus power, no AC power required
\mathcal{J}	Power consumption	5W maximum, 1W in sleep mode
(2)	Communication interface	USB 2.0 (high speed)
٥٥٥	Programmable buttons	NA
†	Supported operating systems	Windows 10 / 8.1 / 7 (32-bit, 64-bit) Mac OSX 10.11 or later
	LCD Screen	
	LCD Panel Type	ти
	LCD Panel Type Touch Input	TN No
	Touch Input	No
	Touch Input Cover glass surface	No Hardened, tempered glass
	Touch Input Cover glass surface Aspect ratio	No Hardened, tempered glass 16:10
	Touch Input Cover glass surface Aspect ratio Native resolution	No Hardened, tempered glass 16:10 1024 x 600 pixels
•	Touch Input Cover glass surface Aspect ratio Native resolution Video input	No Hardened, tempered glass 16:10 1024 x 600 pixels USB
	Touch Input Cover glass surface Aspect ratio Native resolution Video input Viewing angles (horizontal/vertical)	No Hardened, tempered glass 16:10 1024 x 600 pixels USB 140° / 120°
	Touch Input Cover glass surface Aspect ratio Native resolution Video input Viewing angles (horizontal/vertical) Colours	No Hardened, tempered glass 16:10 1024 x 600 pixels USB 140° / 120° 262,144 colors

TR 3 ms TF 5 ms

Tablet and Pen

Technology	Electromagenetic Resonance (EMR)
Screen dimensions	10.1" diagonal (8.77 x 4.93 inches / 222.7 x 125.3 mm)
Coordinate resolution	2540 lpi
Coordinate accuracy	±0.02 inches / ±0.5 mm (center)
Report rate	200 points per second
Pressure levels	512
Encryption	AES 256 / RSA 2048
Reading height	0.2 inches / 5 mm (center)

Miscellaneous

	Pen storage	Integrated pen compartment, pen stand
	Security lock slot	Yes, Kensington
	Mounting system	VESA 2.95 inches / 75 mm
•	Signature software compatability	Compatible with signature / eSign software and Wacom sign pro PDF; C++, .NET and Java SDK/API available for developers
© [®]	Drivers	Wacom driver and MCT video driver required, SDK/API available for developers
®	Package content	DTU-1031X, Pen, USB cable, Installation CD, Quick Start Guide, Pen tether, Extra pen nibs, Nib removal tool, Pen compartment cover, USB plug attachment, 4 VESA mounting screws